



## ANTRACOL WP70

Version 2 / RP  
102000028987

1/12  
Revision Date: 03.04.2020  
Print Date: 22.02.2022

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

**Trade name** ANTRACOL WP70  
**Product code (UVP)** 81681309

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Fungicide

#### 1.3 Details of the supplier of the safety data sheet

**Company** Bayer CropScience, Inc.  
3/F Bayer House  
Canlubang Industrial Estate  
Calamba, Laguna  
Philippines

**Telephone** +63 2 226-4888

**Telefax** +63 2 450-5474

#### 1.4 Emergency telephone no.

**Emergency telephone no.** Bayer CropScience, Inc.  
+63 2 226-4915 (24-Hour Emergency Assistance)  
National Poison Management and Control Center  
Tel. No. +63 2 524-1078, +63 2 567-2057  
Mobile No. +63922-8961541 Fax No. +63 2 526-0062  
Southern Philippines Medical Center (SPMC)  
+63 2 227-2731

**Global Incident Response Hotline (24h)** +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Acute toxicity: Category 4  
H332 Harmful if inhaled.

Skin sensitisation: Category 1  
H317 May cause an allergic skin reaction.

Specific target organ toxicity - repeated exposure: Category 2  
H373 May cause damage to organs (Thyroid, Peripheral nervous system) through prolonged or repeated exposure if inhaled or swallowed.

Acute aquatic toxicity: Category 1  
H400 Very toxic to aquatic life.



**ANTRACOL WP70**

Version 2 / RP  
102000028987

2/12  
Revision Date: 03.04.2020  
Print Date: 22.02.2022

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

**2.2 Label elements**

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- Propineb



Signal word: Warning

**Hazard statements**

H332 Harmful if inhaled.  
H317 May cause an allergic skin reaction.  
H373 May cause damage to organs (Thyroid, Peripheral nervous system) through prolonged or repeated exposure if inhaled or swallowed.  
H410 Very toxic to aquatic life with long lasting effects.  
EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

**Precautionary statements**

P260 Do not breathe dust or mist.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.  
P391 Collect spillage.  
P501 Dispose of contents/container as hazardous waste to an approved waste disposal plant.

**2.3 Other hazards**

May form explosible dust-air mixture if dispersed.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2 Mixtures**

**Chemical nature**

Wettable powder (WP)  
PROPINEB 70%

**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Propineb	9016-72-2	Skin Sens. 1, H317 Acute Tox. 4, H332	70.00

**ANTRACOL WP70**Version 2 / RP  
102000028987

3/12

Revision Date: 03.04.2020

Print Date: 22.02.2022

		STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
Alkylaryl sulfonate	91078-64-7 01-2119985167-25-XXXX	Acute Tox. 4, H302 Acute Tox. 4, H332 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	1.0 – < 25.0
Lignosulfonic acid, sodium salt, sulfomethylated	68512-34-5	Eye Irrit. 2, H319	> 1.0 – < 10.0
Methenamine	100-97-0	Skin Sens. 1, H317 Flam. Sol. 2, H228	>= 0.1 – < 1.0
Kaolin	1332-58-7	Not classified	> 1.0

**Further information**

Propineb	9016-72-2	M-Factor: 10 (acute), 1 (chronic)
----------	-----------	-----------------------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

**4.2 Most important symptoms and effects, both acute and delayed****Symptoms** Symptoms reinforced by alcohol (Antabuse effect)**4.3 Indication of any immediate medical attention and special treatment needed****Risks** This product is not a cholinesterase inhibitor.**Treatment** Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Contraindication: atropine. There is no specific antidote. Follow-up measures: Strict abstinence from alcohol for 1 to 2 weeks, due to antabuse effect.



## **ANTRACOL WP70**

Version 2 / RP  
102000028987

4/12

Revision Date: 03.04.2020  
Print Date: 22.02.2022

---

### **SECTION 5: FIREFIGHTING MEASURES**

#### **5.1 Extinguishing media**

**Suitable** Water spray, Carbon dioxide (CO<sub>2</sub>), Foam, Sand

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NO<sub>x</sub>), Sulphur oxides

#### **5.3 Advice for firefighters**

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Avoid dust formation.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

#### **6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

### **SECTION 7: HANDLING AND STORAGE**

#### **7.1 Precautions for safe handling**

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation. Avoid dust formation.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition. Dust may form explosive mixture in air. Take measures to prevent the build up of electrostatic charge.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

**ANTRACOL WP70**Version 2 / RP  
102000028987

5/12

Revision Date: 03.04.2020  
Print Date: 22.02.2022**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Propineb	9016-72-2	0.2 mg/m <sup>3</sup> (SK-SEN)		OES BCS*
Kaolin (Total dust.)	1332-58-7	50millions of particles per cubic foot of air (TWA_PH)	04 2016	PH OEL
Kaolin (Respirable fraction.)	1332-58-7	15millions of particles per cubic foot of air (TWA_PH)	04 2016	PH OEL

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

**8.2 Exposure controls****Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection**

Wear respirator with a particle filter mask (protection factor 20) conforming to European Norm EN149FFP3 or EN140P3 or equivalent.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection**

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

**ANTRACOL WP70**Version 2 / RP  
102000028987

6/12

Revision Date: 03.04.2020

Print Date: 22.02.2022

---

<b>Eye protection</b>	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
<b>Skin and body protection</b>	Wear standard coveralls and Category 3 Type 4 suit. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
<b>General protective measures</b>	If product is handled while not enclosed, and if contact may occur: Complete suit protecting against chemicals

---

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

<b>Form</b>	powder
<b>Colour</b>	beige
<b>Odour</b>	weak, characteristic
<b>Odour Threshold</b>	No data available
<b>pH</b>	5.0 - 7.5 (1 %) (23 °C) (deionized water)
<b>Melting point/range</b>	ca. 135 °C
<b>Boiling Point</b>	No data available
<b>Flash point</b>	No data available
<b>Flammability</b>	The product is not highly flammable.
<b>Auto-ignition temperature</b>	No data available
<b>Ignition temperature</b>	The product is not self-ignitable.
<b>Minimum ignition energy</b>	> 10 mJ MIE Cluster evaluated acc. to BTS report 2016/00141a
<b>Self-accelarating decomposition temperature (SADT)</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Dust explosion class</b>	capable of causing a dust explosion (modified Hartmann tube, ignition with continuous spark generator)
<b>Vapour pressure</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Relative vapour density</b>	No data available
<b>Relative density</b>	No data available
<b>Density</b>	No data available
<b>Water solubility</b>	dispersible

**ANTRACOL WP70**Version 2 / RP  
102000028987

7/12

Revision Date: 03.04.2020  
Print Date: 22.02.2022

---

<b>Partition coefficient: n-octanol/water</b>	Propineb: log Pow: < 3
<b>Viscosity, kinematic</b>	No data available
<b>Impact sensitivity</b>	Not impact sensitive.
<b>Burning number</b>	CN3 Local combustion without spreading
<b>Oxidizing properties</b>	No data available
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

---

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity****Thermal decomposition** Stable under normal conditions.**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.**10.5 Incompatible materials** Acids  
Store only in the original container.**10.6 Hazardous decomposition products** Hydrogen sulfide  
Carbon disulphide

---

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects****Acute oral toxicity** LD50 (Rat) > 2,000 mg/kg  
Test conducted with a similar formulation.**Acute inhalation toxicity** LC50 (Rat) ca. 5.040 mg/l  
Exposure time: 4 h  
Determined in the form of a respirable fine dust.  
Test conducted with a similar formulation.**Acute dermal toxicity** LD50 (Rat) > 5,000 mg/kg  
Test conducted with a similar formulation.**Skin corrosion/irritation** No skin irritation (Rabbit)  
Test conducted with a similar formulation.**Serious eye damage/eye irritation** No eye irritation (Rabbit)  
Test conducted with a similar formulation.**Respiratory or skin** Skin: Sensitising (Guinea pig)

**ANTRACOL WP70**Version 2 / RP  
102000028987

8/12

Revision Date: 03.04.2020  
Print Date: 22.02.2022

**sensitisation** OECD Test Guideline 406, Magnusson & Kligman test  
Test conducted with a similar formulation.

**Assessment STOT Specific target organ toxicity – single exposure**

Propineb: Based on available data, the classification criteria are not met.

**Assessment STOT Specific target organ toxicity – repeated exposure**

Propineb caused specific target organ toxicity in experimental animal studies in the following organ(s): Peripheral nervous system, Thyroid. Propineb caused Muscular weakness in animal studies. The observed effects do not appear to be relevant for humans.

**Assessment mutagenicity**

Propineb was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Propineb caused an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

**Assessment toxicity to reproduction**

Propineb caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Propineb is related to parental toxicity.

**Assessment developmental toxicity**

Propineb did not cause developmental toxicity in rabbits. Propineb caused developmental toxicity in rats only at dose levels toxic to the dams. The developmental effects seen with Propineb are related to maternal toxicity.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 0.239 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient propineb.
<b>Chronic toxicity to fish</b>	Oncorhynchus mykiss (rainbow trout) NOEC: > 0.6 mg/l Exposure time: 28 d The value mentioned relates to the active ingredient propineb.
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 1.5 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient propineb.
<b>Chronic toxicity to aquatic invertebrates</b>	NOEC (Daphnia magna (Water flea)): 0.480 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient propineb.
<b>Toxicity to aquatic plants</b>	ErC50 (Raphidocelis subcapitata (freshwater green alga)) 0.022 mg/l





**ANTRACOL WP70**

Version 2 / RP  
102000028987

9/12  
Revision Date: 03.04.2020  
Print Date: 22.02.2022

	Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient propineb.
	NOEC (Raphidocelis subcapitata (freshwater green alga)) 0.009 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient propineb.
<b>12.2 Persistence and degradability</b>	
<b>Biodegradability</b>	Propineb: rapidly biodegradable
<b>Koc</b>	Propineb: Koc: 18
<b>12.3 Bioaccumulative potential</b>	
<b>Bioaccumulation</b>	Propineb: Does not bioaccumulate.
<b>12.4 Mobility in soil</b>	
<b>Mobility in soil</b>	Propineb: Mobile in soils
<b>12.5 Results of PBT and vPvB assessment</b>	
<b>PBT and vPvB assessment</b>	Propineb: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
<b>12.6 Other adverse effects</b>	
<b>Additional ecological information</b>	No other effects to be mentioned.

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**

<b>Product</b>	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.
<b>Contaminated packaging</b>	Triple rinse containers. Do not re-use empty containers. Not completely emptied packagings should be disposed of as hazardous waste.
<b>Waste Key</b>	In accordance with Section 2.0 - Classification of Hazardous Waste (DENR administrative order 2013-22 as amended): J201 - Containers previously containing toxic chemical substances M504 - Pesticides

---

**SECTION 14: TRANSPORT INFORMATION**

**ADR/RID/ADN**  
14.1 UN number

**3077**



**ANTRACOL WP70**

Version 2 / RP  
102000028987

10/12  
Revision Date: 03.04.2020  
Print Date: 22.02.2022

14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PROPINEB MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

14.1 UN number	<b>3077</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PROPINEB MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

**IATA**

14.1 UN number	<b>3077</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PROPINEB MIXTURE )
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No transport in bulk according to the IBC Code.

---

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Further information**

WHO-classification: III (Slightly hazardous)

FPA Registration No. 284-001-0001

Labelling According to Fertilizer and Pesticide Authority  
Pesticide Regulatory Policies and Implementing Guidelines 2nd Edition  
Classification of Pesticides Based on Toxicity and Hazard

---

**ANTRACOL WP70**Version 2 / RP  
102000028987

11/12

Revision Date: 03.04.2020  
Print Date: 22.02.2022**SECTION 16: OTHER INFORMATION****Text of the hazard statements mentioned in Section 3**

H228	Flammable solid.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Abbreviations and acronyms**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation



**ANTRACOL WP70**

Version 2 / RP  
102000028987

12/12

Revision Date: 03.04.2020  
Print Date: 22.02.2022

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

**Reason for Revision:** The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection. Section 12. Ecological information.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.