



FOLICUR SC430 1X200L DRM PH

Version 3 / RP
102000008958

1/11
Revision Date: 23.10.2018
Print Date: 24.01.2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name FOLICUR SC430 1X200L DRM PH
Product code (UVP) 04832264

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide
Restrictions on use See product label for restrictions.

1.3 Details of the supplier of the safety data sheet

Company Bayer CropScience, Inc.
3/F Bayer House
Canlubang Industrial Estate
Calamba, Laguna
Philippines

Telephone +63 2 226-4888

Telefax +63 2 450-5474

1.4 Emergency telephone no.

Emergency telephone no. Bayer CropScience, Inc.
+63 2 226-4915 (24-Hour Emergency Assistance)

National Poison Management and Control Center
Tel. No. +63 2 524-1078, +63 2 567-2057
Mobile No. +63922-8961541 Fax No. +63 2 526-0062

Southern Philippines Medical Center (SPMC)
+63 2 227-2731

Global Incident Response Hotline (24h) +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Reproductive toxicity: Category 2
H361d Suspected of damaging the unborn child.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

**FOLICUR SC430 1X200L DRM PH**Version 3 / RP
1020000089582/11
Revision Date: 23.10.2018
Print Date: 24.01.2022

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Tebuconazole



Signal word: Warning

Hazard statements

H361d Suspected of damaging the unborn child.
 H410 Very toxic to aquatic life with long lasting effects.
 EUH208 Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction.
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**

Suspension concentrate (=flowable concentrate)(SC)
 Tebuconazole 430 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Tebuconazole	107534-96-3	Acute Tox. 4, H302 Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410	38.8
Sulfonated aromatic polymer, sodium salt	68425-94-5	Eye Irrit. 2, H319	> 1 – < 10
1,2-Benzisothiazol-3(2H)- one	2634-33-5 01-2120761540-60-xxxx	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318	> 0.005 – < 0.05

**FOLICUR SC430 1X200L DRM PH**Version 3 / RP
1020000089583/11
Revision Date: 23.10.2018
Print Date: 24.01.2022

		Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	
Glycerine	56-81-5	Not classified	> 1

Further information

Tebuconazole	107534-96-3	M-Factor: 1 (acute), 10 (chronic)
1,2-Benzisothiazol-3(2H)-one	2634-33-5	M-Factor: 1 (acute)

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

General advice	Remove contaminated clothing immediately and dispose of safely. Move out of dangerous area. Place and transport victim in stable position (lying sideways).
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed**Symptoms** No symptoms known or expected.**4.3 Indication of any immediate medical attention and special treatment needed****Treatment** Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media**

Suitable	Water spray, Carbon dioxide (CO ₂), Foam, Sand
Unsuitable	High volume water jet



FOLICUR SC430 1X200L DRM PH

Version 3 / RP
102000008958

4/11
Revision Date: 23.10.2018
Print Date: 24.01.2022

5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:., Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Hydrogen chloride (HCl), Nitrogen oxides (NOx)
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt). Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)

**FOLICUR SC430 1X200L DRM PH**Version 3 / RP
102000008958

5/11

Revision Date: 23.10.2018
Print Date: 24.01.2022

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Tebuconazole	107534-96-3	0.2 mg/m ³ (SK-ABS)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent) and faceshield (conforming to EN166, Field of Use = 3 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 3 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

General protective measures

If product is handled while not enclosed, and if contact may occur: Complete suit protecting against chemicals

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form suspension

**FOLICUR SC430 1X200L DRM PH**Version 3 / RP
1020000089586/11
Revision Date: 23.10.2018
Print Date: 24.01.2022

Colour	white to light beige
Odour	weak, characteristic
Odour Threshold	No data available
pH	8.0 - 10.0 (100 %) (23 °C)
Flash point	> 100 °C No flash point - Determination conducted up to the boiling point.
Ignition temperature	405 °C
Minimum ignition energy	Not applicable
Upper explosion limit	No data available
Lower explosion limit	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Density	ca. 1.12 g/cm ³ (20 °C)
Water solubility	dispersible
Partition coefficient: n-octanol/water	Tebuconazole: log Pow: 3.7
Viscosity, dynamic	ca. 569 mPa.s (20 °C) Velocity gradient 20 /s
Surface tension	36 mN/m (25 °C)
Impact sensitivity	Not impact sensitive.
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity****Thermal decomposition** No data available**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.**10.5 Incompatible materials** Store only in the original container.**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.



FOLICUR SC430 1X200L DRM PH

Version 3 / RP
102000008958

7/11
Revision Date: 23.10.2018
Print Date: 24.01.2022

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) 3,710 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 2,510 mg/l Exposure time: 4 h Highest attainable concentration.
Acute dermal toxicity	LD50 (Rat) > 2,011 mg/kg
Skin corrosion/irritation	slight irritation (Rabbit)
Serious eye damage/eye irritation	Mild eye irritation. (Rabbit)
Respiratory or skin sensitisation	Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test

Assessment STOT Specific target organ toxicity – single exposure

Tebuconazole: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Tebuconazole did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.

Assessment toxicity to reproduction

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

Assessment developmental toxicity

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 19.9 mg/l Exposure time: 96 h
Toxicity to aquatic	EC50 (Daphnia magna (Water flea)) 31.0 mg/l



FOLICUR SC430 1X200L DRM PH

Version 3 / RP
102000008958

8/11
Revision Date: 23.10.2018
Print Date: 24.01.2022

invertebrates Exposure time: 48 h

Chronic toxicity to aquatic invertebrates NOEC (Daphnia (water flea)): 0.010 mg/l
Exposure time: 21 d
The value mentioned relates to the active ingredient tebuconazole.

Toxicity to aquatic plants EC50 (Pseudokirchneriella subcapitata (microalgae)) 15.2 mg/l
Growth rate; Exposure time: 96 h
EC50 (Desmodesmus subspicatus (green algae)) 3.8 mg/l
Growth rate; Exposure time: 72 h
The value mentioned relates to the active ingredient tebuconazole.
(Lemna gibba (gibbous duckweed)) 0.237 mg/l
Growth rate; Exposure time: 7 d
The value mentioned relates to the active ingredient tebuconazole.

12.2 Persistence and degradability

Biodegradability Tebuconazole:
Not rapidly biodegradable

Koc Tebuconazole: Koc: 769

12.3 Bioaccumulative potential

Bioaccumulation Tebuconazole: Bioconcentration factor (BCF) 35 - 59
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Tebuconazole: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Tebuconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging Triple rinse containers.
Do not re-use empty containers.
Not completely emptied packagings should be disposed of as hazardous waste.

**FOLICUR SC430 1X200L DRM PH**Version 3 / RP
1020000089589/11
Revision Date: 23.10.2018
Print Date: 24.01.2022**Waste Key**

In accordance with Section 2.0 - Classification of Hazardous Waste (DENR administrative order 2013-22 as amended):

J201 - Containers previously containing toxic chemical substances
M504 - Pesticides**SECTION 14: TRANSPORT INFORMATION****ADR/RID/ADN**

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEBUCONAZOLE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEBUCONAZOLE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEBUCONAZOLE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Further information**

**FOLICUR SC430 1X200L DRM PH**Version 3 / RP
10200000895810/11
Revision Date: 23.10.2018
Print Date: 24.01.2022

WHO-classification: III (Slightly hazardous)

Labelling According to Fertilizer and Pesticide Authority
Pesticide Regulatory Policies and Implementing Guidelines 2nd Edition
Classification of Pesticides Based on Toxicity and Hazard**SECTION 16: OTHER INFORMATION****Text of the hazard statements mentioned in Section 3**

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation



FOLICUR SC430 1X200L DRM PH

Version 3 / RP
102000008958

11/11
Revision Date: 23.10.2018
Print Date: 24.01.2022

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.